

Lift Irrigation at Vilathurai.

229. [14] **Shri M. William:** Will the Minister for Works be pleased to state:

(a) what is the reason for the long delay in implementing the Lift Irrigation at Vilathurai;

(b) what is its estimated cost; and

(c) will the Government implement the scheme at least this year?

Answer.

(a) The scheme was found to be uneconomical as an irrigation scheme. The possibility of utilising it as a drinking water supply scheme is being investigated. The question of taking up the scheme can be decided only after the result of this investigation is known.

(b) Rs. 5,70,000.

(c) *Vide* answer to sub-division (a).

വെയിറിംഗ് ഷെഡ്.

230. [9] **ശ്രീ. എൻ. ചന്ദ്രശേഖരൻ നായർ:** താഴെ കാണുന്ന ചോദ്യങ്ങൾക്ക് മരാമത്തുവകുപ്പുമന്ത്രി സദയം മറുപടിനൽകുമോ:

(എ) പാലോട്ടു പഞ്ചായത്തിൽപ്പെട്ട കുശവൂർ ജംഗ്ഷനിൽ വെയിറിംഗ് ഷെഡിന്റെ അഭാവം മൂലം യാത്രക്കാർക്കു നേരിടേണ്ടി വരുന്ന വൈഷമ്യങ്ങൾ ഗവണ്മെന്റിന്റെ ശ്രദ്ധയിൽപ്പെട്ടിട്ടുണ്ടോ;

(ബി) ഉണ്ടെങ്കിൽ പ്രസ്തുത സ്ഥലത്ത് ഒരു വെയിറിംഗ് ഷെഡ് സ്ഥാപിക്കുന്നതിനവേണ്ട സത്വരനടപടികൾ ഗവണ്മെൻറ് സ്വീകരിക്കുമോ?

ഉത്തരം.

(എ) ഉണ്ട്.

(ബി) ആലോചനകൾ നടന്നുവരുന്നു.

Special Magistrate's Court, Thucalai.

231. [22] **Shri R. Ponnappa Nadar:** Will the Home Minister be pleased to state:

(a) when was sanction accorded for the construction of a Special Magistrate's Court at Thucklai;

(b) when was the work started;

(c) when was the work completed;

(d) what is the total expenditure regarding the same;

(e) is the work given on contract;

(f) whether there was any tender notification;

(g) what is the name of the contractor who executed the work; and